



**FROMM** | PACKAGING  
AUSTRALIA

## Strapping Solutions


Fromm Australia offers a huge range of strapping solutions to meet any business requirements. We stock a range of market leading automatic inline systems, semi automatic machines, pneumatic and battery powered hand held strapping tools.

We stock the full range of strapping, and accessories including, dispensers, cardboard and plastic corner protection, buckles, seals and other smaller items



## Strapping


Fromm is a global leader in plastic and steel strapping with manufacturing facilities strategically located in Europe, South America and South East Asia. Our manufacturing plants use modern extrusion methods and our global Manufacturing Manager ensures that each plant maintains the same exacting standards and methods.



### Polyester (PET) Strapping

---

- 9 - 32mm widths available
- Smooth or embossed
- Standard, jumbo and super jumbo rolls



### Steel Strapping

---

- 16 - 32mm widths available
- Standard or high tensile
- Standard, jumbo and super jumbo rolls



### Polypropylene (PP) Strapping

---

- 5 - 19mm widths available
- Hand or machine grade

### FROMM technology

---

- Heavy duty design for continuous operation
- Efficient technical support
- End-of-the-line expertise
- 2 year warranty on machinery and tools





## Semi Automatic Strapping Machines

Fromm provides a range of standalone Polypropylene (PP) Strapping Machines to secure your products and cartons. The FSM models combine simplicity of use with quality functions and parts. Each can be custom engineered to meet a broad range of operating requirements including: high-speed options, smaller or larger arches and conveyor tables for entry and exit. Each Fromm semi automatic strapping machine has adjustable strap tension to accommodate different products. All models use Fromm's high quality PP strapping in convenient roll lengths.



**FSM-10**  
Strapping Machine

- Machine tension: 5 - 55kg
- Strap width: 9 - 12mm
- Manual strap feed



**FSM-30**  
Strapping Machine

- Machine tension: 7 - 70kg
- Strap width: 9 - 12mm
- Automatic strap feed
- Foot or button operation



**FSM-Cube**  
Strapping Machine

- High speed
- Strap width: 5 - 12mm
- Automatic strap feed
- Conveyor on top



**FSM-Neo**  
Strapping Machine

- High speed
- Strap width: 5 - 12mm
- Automatic strap feed



## Automatic Inline Strapping Machine

Our custom inline strapping solutions are engineered to meet your exact requirements and feature a range of high speed strapping heads designed of use with either plastic or metal strap.

Our strapping systems can be configured with the strapping head above, below or to the side of the products to suit your particular application.



**MH550**  
**PET Strapping Head**

- Strap width 9 - 19mm
- Strap thickness 0.4 - 1.0mm
- Max. tension 3500N



**MH600**  
**PET Strapping Head**

- Strap width 13 - 19mm
- Strap thickness 0.64 - 1.53mm
- Max. tension 7000N



**MH610**  
**PET Strapping Head**

- Strap width 25 - 32mm
- Strap thickness 0.4 - 1.35mm
- Max. tension 7000N



**M100**  
**Steel Strapping Head**

- Strap width 9.5 - 20mm
- Strap thickness 0.5 - 0.8mm
- Max. tension 9000N
- Seal less joint



**MH200**  
**Steel Strapping Head**

- Strap width 19 - 32mm
- Strap thickness 0.7 - 1.0mm
- Max. tension 18000N
- Seal less joint



**PP Strapping Head**

- Strap width 5 - 15mm
- Strap thickness 0.4 - 0.9mm
- Max. tension 600N
- PP or PET strap





## Automatic Inline Strapping Machines

We also offer a range of accessories and enhancements to meet the needs of any industry including:

- Specialised strapping tracks for the harshest environments
- Compression systems to square, hold and assist in unitising product
- Bearer magazines and robots to place timber bearers underneath, side and on top
- Corner applicators to place cardboard corners to protect product edges from the strapping

Fromm's team of packaging experts can also engineer turnkey solutions with conveyors and other up or down stream technologies complete with safety systems.



**PM10000 Inline  
PET Strapping Machine**

- Fixed machine
- Head on top
- Timber, brick, aluminium and steel industries



**PM20000 Inline  
PET Strapping Machine**

- Moving machine
- Head on top
- Logistics and brick industries



**PM50000 Inline  
PET Strapping Machine**

- Fixed machine
- Multiple heads on side
- Beverage, logistics and corrugated industries



**PM80000  
PET Strapping Machine**

- Fixed machine
- Horizontal head
- Logistics, fruit and brick industries



**Super Jumbo  
Strap Dispenser**

- 3 rolls per pallet
- Limited roll changes
- Stand alone



## Battery Hand Tools

Fromm designs and manufactures a complete range of Battery powered hand tools for easy strapping using plastic strap. All our hand strapping tools are engineered to be easy to use. We focus on creating an ergonomic and lightweight design that is easy to handle and reduces operator fatigue.

Fromm has long been regarded the market leader for these tools, due to having full control of the manufacturing process. 99% of the components for these tools are produced in our factory in Caprino, Italy.



**P318 Battery  
PET Strapping Tool**

- Strap width 9 - 12mm
- Max. tension 800N



**P328 Battery  
PET Strapping Tool**

- Strap width 10 - 16mm
- Max. tension 2600N



**P329 Battery  
PET Strapping Tool**

- Strap width 16 - 19mm
- Max. tension 4000N



**P331 Battery  
PET Strapping Tool**

- Strap width 19 - 32mm
- Max. tension 7000N



**Dynamic 2100 Battery  
PET Strapping Tool**

- Strap width 16 - 19mm
- Max. tension 3000N



## Pneumatic Hand Tools

Fromm designs and manufactures a complete range of pneumatic hand strapping tools for plastic and steel strap for easy manual strapping. The pneumatic range can be used as offline or production workhorses where their strength and power mean they can be used for 24 hour operation. The pneumatically powered plastic strapping tools compliment our battery powered strapping tools and are designed for use with Fromm PET and steel strap in widths from 12mm to 32mm.




**P356 Pneumatic PET Strapping Tool**

- Strap width: 16 - 19mm
- Max. tension 3700N



**P359 Pneumatic PET Strapping Tool**

- Strap width 19 - 32mm
- Max. tension 7000N



**P380 Pneumatic PET Strapping Tool**

- Strap width: 12 - 19mm
- Max. tension 1900N
- Small bundles



**A480 Pneumatic Steel Strapping Tool**

- Strap width: 12 - 19mm
- Max. tension 4500N
- Metal seals required



**A483 Pneumatic Steel Strapping Tool**

- Strap width 32mm
- Max. tension 9000N
- Metal seals required



**A380 Pneumatic Steel Strapping Tool**

- Strap width 12 - 25mm
- Max. tension 9500N
- Crimp seal



**A384 Pneumatic Steel Strapping Tool**

- Strap width: 12 - 19mm
- Max. tension 6500N
- Crimp seal



**A3H Pneumatic Steel Strapping Tool**

- Strap width: 12 - 19mm
- Max. tension 4500N
- Crimp seal

FROMM stands for  
development, production,  
consultancy, sales, service –  
worldwide and from a single  
supplier!  
Benefit from our expertise!

**FROMM** | PACKAGING  
AUSTRALIA

FROMM Packaging Australia  
PO Box 4016  
Mount Ommaney QLD 4074

Tel. 1800 023 890  
Fax 1800 246 551  
[www.fromm-pack.com.au](http://www.fromm-pack.com.au)